MITSUBISHI HEAVY INDUSTRIES

Indoor unit model name SRK25ZTL-W
Outdoor unit model name SRC25ZTL-W

Refrigerant	R32	GWP	675

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode			
SEER	6.9		
Energy efficiency class	A++		
Design load (Pdesignc)	2.5	kW	
Energy consumption,	127	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Average)			
SCOP	4.7		
Energy efficiency class	A++		
Design load (Pdesignh)	2.7	kW	(-10℃)
Declared capacity	2.7	kW	(-10℃)
Back up heating capacity	0	kW	(-10℃)
Energy consumption,	804	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Warmer) Optional			
SCOP	5.8		
Energy efficiency class	A+++		
Design load (Pdesignh)	3.8	kW	(2℃)
Declared capacity	3.8	kW	(2℃)
Back up heating capacity	0	kW	(2℃)
Energy consumption,	917	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22℃)
Declared capacity	-	kW	(-22℃)
Back up heating capacity	-	kW	(-22℃)
Energy consumption,	-	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Sound power level (indoor)	55	dB(A)
Sound power level (outdoor)	58	dB(A)

MITSUBISHI HEAVY INDUSTRIES

Indoor unit model name SRK35ZTL-W
Outdoor unit model name SRC35ZTL-W

Refrigerant	R32	GWP	675

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode			
SEER	6.5		
Energy efficiency class	A++		
Design load (Pdesignc)	3.5	kW	
Energy consumption,	189	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Average)			
SCOP	4.7		
Energy efficiency class	A++		
Design load (Pdesignh)	2.8	kW	(-10℃)
Declared capacity	2.8	kW	(-10℃)
Back up heating capacity	0	kW	(-10℃)
Energy consumption,	835	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Warmer) Optional			
SCOP	5.8		
Energy efficiency class	A+++		
Design load (Pdesignh)	3.9	kW	(2℃)
Declared capacity	3.9	kW	(2℃)
Back up heating capacity	0	kW	(2℃)
Energy consumption,	943	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22℃)
Declared capacity	-	kW	(-22℃)
Back up heating capacity	-	kW	(-22℃)
Energy consumption,	-	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Sound power level (indoor)	56	dB(A)
Sound power level (outdoor)	61	dB(A)

MITSUBISHI HEAVY INDUSTRIES

Indoor unit model name SRK50ZTL-W
Outdoor unit model name SRC50ZTL-W

Refrigerant	R32	GWP	675

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO_2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode			
SEER	6.5		
Energy efficiency class	A++		
Design load (Pdesignc)	5.0	kW	
Energy consumption,	270	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Average)			
SCOP	4.3		
Energy efficiency class	A+		
Design load (Pdesignh)	4.0	kW	(-10℃)
Declared capacity	4.0	kW	(-10℃)
Back up heating capacity	0	kW	(-10℃)
Energy consumption,	1302	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Warmer) Optional			
SCOP	5.5		
Energy efficiency class	A+++		
Design load (Pdesignh)	4.6	kW	(2℃)
Declared capacity	4.6	kW	(2℃)
Back up heating capacity	0	kW	(2℃)
Energy consumption,	1172	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22℃)
Declared capacity	-	kW	(-22℃)
Back up heating capacity	-	kW	(-22℃)
Energy consumption,	-	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Sound power level (indoor)	60	dB(A)
Sound power level (outdoor)	64	dB(A)

MITSUBISHI HEAVY INDUSTRIES

Indoor unit model name SRK63ZTL-W
Outdoor unit model name SRC63ZTL-W

Refrigerant	R32	GWP	675

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO_2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode			
SEER	7.5		
Energy efficiency class	A++		
Design load (Pdesignc)	6.3	kW	
Energy consumption,	295	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Average)			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	5.3	kW	(-10℃)
Declared capacity	5.3	kW	(-10℃)
Back up heating capacity	0	kW	(-10℃)
Energy consumption,	1615	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Warmer) Optional			
SCOP	5.5		
Energy efficiency class	A+++		
Design load (Pdesignh)	6.6	kW	(2℃)
Declared capacity	6.6	kW	(2℃)
Back up heating capacity	0	kW	(2℃)
Energy consumption,	1679	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22℃)
Declared capacity	-	kW	(-22℃)
Back up heating capacity	-	kW	(-22℃)
Energy consumption,	-	kWh per year.based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

Sound power level (indoor)	60	dB(A)
Sound power level (outdoor)	64	dB(A)

MITSUBISHI HEAVY INDUSTRIES

Indoor unit model name SRK71ZTL-W
Outdoor unit model name SRC71ZTL-W

Refrigerant	R32	GWP	675

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode			
SEER	7.1		
Energy efficiency class	A++		
Design load (Pdesignc)	7.1	kW	
Energy consumption,	351	kWh per year.based on standard test results.	

Actual energy consumption will depend on how the appliance is used and where it is located.

Heating mode (Average)			
SCOP	4.4		
Energy efficiency class	A+		
Design load (Pdesignh)	6.2	kW	(-10℃)
Declared capacity	6.2	kW	(-10℃)
Back up heating capacity	0	kW	(-10℃)
Energy consumption,	1972	kWh per year.based on standard test results.	

Actual energy consumption will depend on how the appliance is used and where it is located.

Heating mode (Warmer) Optional			
SCOP	5.3		
Energy efficiency class	A+++		
Design load (Pdesignh)	7.4	kW	(2℃)
Declared capacity	7.4	kW	(2℃)
Back up heating capacity	0	kW	(2℃)
Energy consumption,	1954	kWh per year.based on standard test results.	

Actual energy consumption will depend on how the appliance is used and where it is located.

Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22℃)
Declared capacity	-	kW	(-22℃)
Back up heating capacity	-	kW	(-22℃)
Energy consumption,	-	kWh per year.based on standard test results.	

Actual energy consumption will depend on how the appliance is used and where it is located.

Sound power level (indoor)	61	dB(A)
Sound power level (outdoor)	66	dB(A)